Lightweight directory access protocol (**LDAP**) directory server cache mechanism and method

DJ Byrne, CR Murthy, SB Shi, CL Shu - US Patent 6,347,312, 2002 - Google Patents

... EntryData. Entries are stored using a simple text **format** of the form "**attribute**: value". ... Descendant Table: The purpose of this table is to support the subtree search 1° feature of **LDAP**. ... Each **LDAP** entry is assigned an unique identifier (BID) by the backing **store**. ...

Cited by 76 - Related articles - All 2 versions

Method of hierarchical **LDAP** searching with relational tables

DW Bachmann, CF Corn, LG Fichtner, RA ... - US Patent ..., 2000 - Google Patents

... For example, the API function ldap searchQ may be used to perform a given directory search. ... image, a network dispatcher 37 may be deployed to route requests among the **LDAP** servers 36. FIG. ... This configuration enables users to **store** up to terabytes of **data** into the database. ...

Cited by 85 - Related articles - All 2 versions

Efficient implementation of lightweight directory access protocol (**LDAP**) **search queries** with structured **query** language (SQL)

CF Corn, LG Fichtner, RA Mancisidor, SB ... - US Patent 6,356,892, 2002 - Google Patents

... Entries are stored using a simple text **format** of tion. ... technique 3Q In addition to the table structures described above, the may be used to search any relational database using following SQL SELECT statements are used by **LDAP**/DB2 hierarchical, **filter**-based database ...

Cited by 20 - Related articles - All 2 versions

[PDF] An enterprise directory solution with DB2 [PDF] from uni-duisburg.de

SSB Shi, E Stokes, D Byrne, CF Corn, D ... - IBM Systems ..., 2000 - uni-duisburg.de

... In addition, we also have an **LDAP** entry table that holds the information about anLDAP entry. ... the EID of the entry and support- ing LDAP_SCOPE_ONELEVEL and LDAP_SCOPE_BASE search scope ... Entries are stored using a simple text **format** of the form "**attribute**: value" as in ...

Cited by 19 - Related articles - View as HTML - BL Direct - All 13 versions

[PDF] On processing XML in **LDAP** [PDF] from vldb.org

PJ Marrón, G Lausen - Proceedings of the VLDB'01, 2001 - vldb.org

... taken as an ex- ample(figure2) an excerpt of the Mondial database available in XML **format** from[14 ... such that: (1)bq†L,fq†L andpq†L are defined as in the **LDAP** Model; and ... be searched; subtree, if all nodes under the base should be considered by the **filter expression**; parent, if ...

Cited by 22 - Related articles - View as HTML - BL Direct - All 5 versions

Partitioning data access requests

SP Ghatare - US Patent 7,340,447, 2008 - Google Patents
... 3; 707/1; 707/4; 707/5; 707/104.1 (58) Field of Classification Search 707/1, 707/3, 4, 5, 104.1
See application file for complete search history. ... The system determines which **data store** can
service the **data** access request by using mappings of the variables to the **data** stores in ...
Cited by 7 - Related articles - All 4 versions

[BOOK] LDAP system administration [PDF] from lissyara.su

G Carter - 2003 - books.google.com
... **Attribute** types have defined encoding and matching rules that govern such things
as the type of **data** the **attribute** can hold and how to compare this **data** during a search. ...
The **LDAP** Interchange **Format** (LDIF), defined in RFC 2
Cited by 88 - Related articles - Library Search - All 20 versions

[PDF] Making LDAP Active with the LTAP Gateway; Case Study in Providing Telecom Integration and Enhanced Services [PDF] from psu.edu

R Arlein, J Freire, N Gehani, D Lieuwen, J ... - Lecture notes in computer ..., 2001 - Citeseer
... proposes the use of a single logical source for needed information and encourages **storage** of
data in a standard **format** to enable ... The second part of the LTAP condition, the **LDAP filter**,
constrains the trigger to fire only when the object satisfies the **filter**, for example when ...
Cited by 8 - Related articles - View as HTML - BL Direct - All 10 versions

LDAP, Databases and Distributed Objects: Towards a better integration

T Delot, P Déchamboux, B Finance, Y Lepetit, G ... - Databases in ..., 2001 - Springer
... level ? **filter ldap**://nldap.com/c=us? sub ? (cn = Bill*) ... For the time being, **LDAP query** results are
considered as an unstructured bag of entries defined in LDIF (**LDAP Data** Interchange **Format**)
which is very limited; hierarchic links between entries are lost in the result. ...
Cited by 4 - Related articles - BL Direct - All 5 versions

Managing CORBA objects with dynamic behavior in a Directory [PDF] from rmit.edu.au

T Delot, B Finance - ... Objects and Applications, 2001. DOA'01. ..., 2002 - ieeexplore.ieee.org
... The full DN **format** is described in [12]. L C=GB I t CN=John Joncs O= Graphic Scrvicrs CN=Laser
Printer CN= Zue hgc ... **filter** expressed : Figure 3: **LDAP query expression** The base object DN clause
defines the root of the search using a distinguished name, the scope clause ...
Cited by 1 - Related articles - All 4 versions

[PDF] On Processing XM L in LDAP [PDF] from iitb.ac.in

PJ Marréon, G Lausen - cse.iitb.ac.in
... taken as an ex- ample(figure2) an excerpt of the Mondial database available in XML **format**
from[14 ... L), such that: (1)bq L,fq L andpq L are defined as in the **LDAP** Model; and ... be searched;
subtree, if all nodes under the base should be considered by the **filter expression**; parent, if ...
Cited by 1 - Related articles - View as HTML - All 5 versions

Support for RDBMS in LDAP system

SP Ghatare - US Patent App. 10/682,575, 2003 - Google Patents
... DB Server **LDAP** Server ^*~- ^r -402 -404 •406 •450 FIG. ... create **filter** for **data store** 1412 provide **filter** to Translation Module more **partition expressions**? ... 20 create **filter expression** tree (FT) 1440 create **partition expression** tree (PT) 1442 access mapped **attributes** (MA) 1444 call ...
All 2 versions

Translating **data** access requests
SP Ghatare - US Patent App. 10/682,252, 2003 - Google Patents
... access requests between a **format** suitable for a relational database and a different **format** used by ... 1 \ \ / \ \ 432 _V [^ — ~> 43^ !• DB **LDAP** Server Server ... 20 create **filter expression** tree (FT) 1440 create **partition expression** tree (PT) 1442 access mapped **attributes** (MA ...
All 2 versions

... and method of joining **data** obtained from horizontally and vertically partitioned heterogeneous **data** stores using string-based location transparent **search expressions**
JF Kilroy - US Patent App. 11/065,967, 2005 - Google Patents
... Search **expressions** in GQL **format** are also readily translatable to repository- specific **query expressions**, such as **LDAP filter expressions** and SQL WHERE **expressions**, for use in search environ- ments having multiple heterogeneous repositories in which **data** may be ...
All 2 versions

[PDF] **LDAP** Theory and Management [PDF] from psu.edu
B Marshall - Citeseer
... Page 49. DSML XML-based file **format** Can **store** both schema and **data** Can use as generic import/export **format** for directory **data** ... Prefix notation Standards RFC 1960: **LDAP** String Representation of Search **Filters** ... Page 54. Search **Filter** Details cont Substring matching ...
View as HTML - All 10 versions

... **query** response time in a relational database (RDB) system by managing the number of unique table aliases defined within an RDB-specific **search expression**
JF Kilroy - US Patent App. 11/318,915, 2005 - Google Patents
... the first child node is determined to have a same **data** type and ... TRANSLATE FROM **LDAP** TO GQL 258 PASS SEARCH **EXPRESSION** TO PARSER CREATE ... **QUERY EXPRESSION** ACCORDING TO THE TABLE NAME, TABLE ALIAS, AND SEARCH PARAMETERS ASCEND ...
All 2 versions

Third International Symposium on Distributed Objects and Applications (DOA'01)
T Delot, B Finance - 2001 - computer.org
... The full DN **format** is described in [12]. CN=Fax Machine CN=Sarah Miles OU=Research ... The **storage** model adopted in **LDAP** is based on vertical **partitioning** of entries; for each **attribute** an index is defined. ... The **filter** clause can be delayed until all external entries are reached. ...
Related articles - All 3 versions

[PDF] Overview of existing XML **storage** techniques [PDF] from 168.188.128.62

S Amer-Yahia, M Fernandez - submitted for publication, 2002 - 168.188.128.62
... de- fine a search scope (itself, children or whole subtree rooted at node) for the search. ... further with more flexible mappings and a more comprehensive XQuery to **LDAP query** translation ... is defined, users must write the correspond- ing input XML document in the following **format**: ...
Cited by 11 - Related articles - View as HTML - All 2 versions

[BOOK] Understanding and deploying **LDAP** directory services [PDF] from lissyara.su
T Howes, M Smith, GS Good - 2003 - books.google.com
... vii Selected LDAPv3 Extensions 127 The ManageDSAIT Control 128 The Persistent Search Request and ... 8. Schema Design 259 The Purpose of a Schema 260 Elements of **LDAP** Schemas 261 ... Formats 273 The LDAPv3 Schema **Format** 273 The ASN.1 Schema **Format** 280 ...
Cited by 216 - Related articles - Library Search - All 8 versions

[BOOK] **LDAP** programming with Java
R Weltman, T Dahbura - 2000 - books.google.com
... CHAPTER 2 The Lingua Franca of Directodes Is **LDAP** CHAPTER 3 May We Introduce— Directory SDK for Java ... A directory is a service that allows you to search a structured repository of informa- tion. ... Most directories offer a hierarchical rather than a relational view of the **data**. ...
Cited by 17 - Related articles - All 2 versions

[PDF] Active Directory as a Directory Service [PDF] from unimib.it
S Pinardi, E Colombo, TA Aruanno, R Bisiani - disco.unimib.it
... It is therefore important for the **data** in the directory to be represented correctly and for ... Domain **partition** (defined in the –d switch parameter) and saves them in csv **format** in the ... The **LDAP** Search Request shown in Figure 3 identifies all accounts of the isqre.net Domain **partition** ...
Related articles - View as HTML - All 2 versions

[PDF] INTERNET DIRECTORY SERVICES USING THE LIGHTWEIGHT DIRECTORY ACCESS PROTOCOL [PDF] from psu.edu
G Lavender, M Wahl... - 2008 - Citeseer
... It can be retrieved by **LDAP** clients performing a baseObject search on the a special entry that is ... information (eg, cn=schema), with the **attributes** attributeTypes and objectClasses specified as part of the search criteria. ... The **format** of these two **attributes** is defined in [RFC 2252]. ...
Related articles - View as HTML - All 7 versions

[PDF] Policy Framework Working Group J. Strassner Internet-draft A. Westerinen Category: Standards Track Cisco Systems E. Ellesson LongBoard, Inc. [PDF] from 64.170.98.42
B Moore, R Moats, PCL Schema - Policy, 2001 - 64.170.98.42
... of classes specifically designed to optimize retrieval of large amounts of policy-related **data** from a ... The **LDAP**-enabled directory then returns all entries in that subtree that satisfy the specified criteria. ... The **filter** for searching this subtree is whatever the client is going to use later to ...
View as HTML

[PDF] Policy Framework Working Group J. Strassner Internet-draft INTELLIDEN, Inc. Category: Standards Track A. Westerinen Cisco Systems [PDF] from levkowetz.com

E Ellesson, B Moore, R Moats, PCL Schema - Policy, 2001 - cabernet.levkowetz.com
... of classes specifically designed to optimize retrieval of large amounts of policy-related **data** from a ... The **LDAP**-enabled directory then returns all entries in that subtree that satisfy the specified criteria. ... The **filter** for searching this subtree is whatever the client is going to use later to ...
Related articles - View as HTML - All 2 versions

[PDF] Policy Framework Working Group J. Strassner Internet-draft Cisco Systems Category: Standards Track E. Ellesson LongBoard, Inc. [PDF] from 64.170.98.42

B Moore, R Moats, PCL Schema - Policy, 2001 - 64.170.98.42
... of classes specifically designed to optimize retrieval of large amounts of policy-related **data** from a ... The **LDAP**-enabled directory then returns all entries in that subtree that satisfy the specified criteria. ... The **filter** for searching this subtree is whatever the client is going to use later to ...
View as HTML

[PDF] **Storage** techniques and mapping schemas for XML [PDF] from psu.edu

S Amer-Yahia - SIGMOD Record, 2003 - Citeseer
... 1. INTRODUCTION XML is the standard **format** for **data** exchange between Web ap- plications. ... These **queries** apply full-text search operators while ignoring specific markup in the searched text. ... with linear prop- erties to compute children and descendants of entities in **LDAP**. ...
Cited by 14 - Related articles - View as HTML - All 4 versions

Multi-dimensional analysis of objects by manipulating discovered semantic properties

T Conrad, S Wiener - US Patent 6,028,605, 2000 - Google Patents
... The semantic model is stored as metadata in an intermediate **format** on the com ... and uses the feedback to modify subsequent **queries** and displayed search results ... ccrnpaHiivB ianalysis \ Best Practices Customer 'Presentations' Industry and Marketing **data** Instructional Materials ...
Cited by 78 - Related articles - All 2 versions

[PDF] Resource and service discovery for mobile agent platforms [PDF] from psu.edu

Z Maraikar - 2006 - Citeseer
... A search for a route planner service for Amsterdam using a keyword-based search engine is not guaranteed to return the above service. ... In **LDAP** for instance, one may define a new schema and let existing objects inherit its **attributes**. ... RDF does not define a separate **format**. ...
Cited by 3 - Related articles - View as HTML - All 2 versions

Dynamic organization model and management computing system and method therefor

EC Cheng - US Patent 6,067,548, 2000 - Google Patents
... 30 [52] US Cl 707/103; 707/101; 707/104 [58] Field of Search 707/104 ... The present invention methodology does not dictate the under- lying **data** model, although the preferred ... When a relational database implementation is chosen, users define the **attributes** 60 of the members ...
Cited by 98 - Related articles - All 5 versions

[BOOK] Advance Database Management

TJ Kedar - 2008 - books.google.com

... 2.11.1 Directory Access Protocol 2-31 2.11.2 **LDAP** : Lightweight Directory Access Protocol 2-32 2.11.2.1 **LDAP Data** Model 2 ... 6 - 5 6.6 Indexing of Documents 6 - 7 6.7 Measuring Retrieval Effectiveness 6 - 7 6.8 Web Search Engines 6 - 8 6.9 Directories Structured **Data** 6 - 9 ...

[PDF] Policy Framework Working Group J. Strassner Internet-draft Intelliden Corporation Category: Standards Track E. Ellesson LongBoard, Inc. **[PDF]** from 64.170.98.42

B Moore, R Moats, PCL Schema - Policy, 2002 - 64.170.98.42

... of classes specifically designed to optimize retrieval of large amounts of policy-related **data** from a ... Relying only on a subtree search, though, runs the risk of missing conditions or ... a second way of representing rule-specific conditions and actions in an **LDAP**-accessible directory ...

Related articles - View as HTML - All 5 versions

[PDF] Policy Framework Working Group J. Strassner Internet-draft Intelliden Corporation Category: Standards Track B. Moore IBM Corporation **[PDF]** from levkowetz.com

R Moats, E Ellesson, PCL Schema - Policy, 2002 - cabernet.levkowetz.com

... of classes specifically designed to optimize retrieval of large amounts of policy-related **data** from a ... Relying only on a subtree search, though, runs the risk of missing conditions or ... a second way of representing rule-specific conditions and actions in an **LDAP**-accessible directory ...

View as HTML - All 4 versions

Service discovery and publication

AD Milligan, CR Reeves, JB Parham, GKR ... - US Patent App. 10/ ..., 2003 - Google Patents

... In addition, service information may be stored in a persistent **data store** managed by a ... 172 180 Operating System Application Programs Other Modules Program **Data** 158- 160- 162 ... Scopes.Add (new ConcreteScope // **Filter** for only printers SimpleFilter **filter** = new SimpleFilter ...

Related articles - All 5 versions

Indexing management for hierarchical main memory

N Zhang - US Patent 6,763,347, 2004 - Google Patents

... The features and directory access protocol (**LDAP**), simple object access process steps of the present invention may be embodied in ... The database runtime aggregates the search results before returning them to the database user. ... the persistence **format** will be a byte array. ...

Cited by 1 - Related articles - All 2 versions

[PDF] A configuration management database architecture in support of IBM Service Management **[PDF]** from psu.edu

H Maddurt, SB Shi, R Baker, N Ayachitula, L ... - IBM Systems ..., 2007 - Citeseer

... The search methodology is a depth first traversal of the containment tree of the root element. ... In many cases, a source might already have an export **format** that can be used ... services such as the Domain Name Service (DNS) and the Lightweight Directory Access Protocol (**LDAP**). ...

Cited by 18 - Related articles - View as HTML - BL Direct - All 7 versions

Haystack: A platform for creating, organizing and visualizing information using RDF **[PDF]** from psu.edu

D Huynh, D Karger, D Quan - Semantic Web Workshop, 2002 - aaai.org

... The layout part that shows the messages in a list view **format** allows the user to reorder the ... For

example, agents can automatically **filter** a user's e-mail for documents that appear to fit in one or ... on a regular basis, fulfill **queries**, and interface with the file system and **LDAP** servers. ...
Cited by 128 - Related articles - All 25 versions

[PDF] "A Chaining Solution for the [PDF] from psu.edu
O Product - Citeseer
... to search the entire **data** set. ... **Data** is distributed across several servers. **LDAP** runs over TCP/IP, so this could for example be a local area network (LAN). ... Directories offer significant benefits over DBMS by providing a **data format** that is universally standardised. ...
All 2 versions

Enhancing service location protocol for efficiency, scalability and advanced discovery [PDF] from psu.edu
W Zhao, H Schulzrinne - Journal of Systems and Software, 2005 - Elsevier
... preference **filter**. View Within Article. Although the **format** of preference **filters** could be designed in a way similar to SLP and **LDAP** search **filters** (Howes, 1997), we employ a simpler approach based on composition. We choose ...
Cited by 21 - Related articles - All 8 versions

Query generation for a capture system
ED Iglesia, W Deninger, RPS ... - US Patent App. 20,100/ ..., 2010 - freepatentsonline.com
... December, 2005 - 20050283519 Priority queue to determine order of service for **LDAP** requests Parkinson ... alarm in the form of an e-mail message, page, system log, and/or other notification **format**. ... already sorted by time, a search of this information is an order n search which is ...
Cached - All 2 versions

[PDF] AD Op Master Domain Naming Response Monitor, 184 AD Op Master Infrastructure Last Bind Monitor, 184 AD Op Master PDC Last Bind Monitor, 184 [PDF] from johnwiley.com.au
ADOMR Monitor - benefits - media.johnwiley.com.au
... See also Information **Store format** of information, 257 Exchange Full Administrator privileges, 295 Exchange ... 43 **LDAP** over TCP, 199 **LDAP** Read Time counter, 47 **LDAP** Search Time, 329 ... for Exchange, 290, 296 – 297 Lightweight Directory Access Protocol (**LDAP**), and Active ...
View as HTML - All 2 versions

[PDF] Directory Services for Linux [PDF] from daasi.de
N Klasen - Comparison with Novell NDS and Microsoft Active ..., 2001 - daasi.de
... because of historic reasons, since its semantics can be reproduced by a tailored search operation ... the overwhelming majority of **queries**4 to X.500 DSAs came via **LDAP**, a new ... It incorporated the actual **data store** mech- anism into the **LDAP** daemon and was named "standalone ...
Cited by 1 - Related articles - View as HTML - All 20 versions

Recent Challenges in DBMS
MD Model - Fundamentals of Relational Database Management ..., 2007 - Springer
... **Data** directory layer Interoperable Standard directory protocols Grid services (OGSA), **LDAP**, LSID, Moby, web ... allow such an embedding of a function application, for example, the **filter** operator

of ... input/output at the user interface, or transforming from/to an ASCII **format** for bulk ...

[PDF] Application Driven Networking: Concepts and Architecture for Policy-Based Systems [PDF] from ibm.com

J Follows, D Straeten - IBM Red Book, 1999 - redbooks.ibm.com

... LIDIA's goal was to provide a raw **LDAP**-based (Lightweight Directory Access Protocol) repository interface to **store** schemata and ... DEN defines a directory as a centralized repository that coordinates information **storage** and retrieval, enabling other **data**- and application ...

Cited by 10 - Related articles - View as HTML - All 4 versions

Design and implementation trade-offs for wide-area resource discovery [PDF] from psu.edu

J Albrecht, D Oppenheimer, A Vahdat, DA ... - ACM Transactions on ..., 2008 - portal.acm.org

... XML syntax that SWORD takes as input into a more human-readable **format** that structurally ... a logical database and **query** processor for storing and querying monitoring **data**, and an ... each node needs sufficient network capacity and memory to receive **queries**, **filter** nodes based ...

Cited by 26 - Related articles - All 17 versions

System and method for accessing a directory services respository

DT Ferguson - US Patent 6,016,499, 2000 - Google Patents

... "ODBC search results", Microsoft Site Search Results, Microsoft ... to provide such a system and method which makes the information stored by NCP software available in a relational database **format**. ... The API may include a Lightweight Directory Access Protocol ("**LDAP**") API. ...

Cited by 67 - Related articles - All 2 versions

[PDF] Optimizing XML Path **Queries** over Relational Databases [PDF] from psu.edu

MC Pilar - 2002 - Citeseer

... because there is no separate description of its type or structure and its **data**. TheExtensible Markup Language (XML), as a **format** for semistructured **data**, ... and Lorel AQM+97]. Storing XML Documents There are several approaches to **store** XML **data**. The rst and most ob- ...

Related articles - View as HTML - All 5 versions

[CITATION] Professional Java Server Programming J2EE 1. [PDF] from subbu.org

S Allamaraju, C Buest - 2007 - Dreamtech Press

Cited by 109 - Related articles - Library Search - All 6 versions

[HTML] Adaptive Directory Services for Highly Dynamic Environments [HTML] from computer.org

DM Silva, F Kon - IEEE Distributed Systems Online, 2001 - dsonline.computer.org

... **LDAP** clients can search for objects in the directory by issuing requests containing Boolean **expressions** ... Hosts in the grid were responsible for pushing information into the **LDAP** servers periodically ... **data** can then be displayed to the user in textual or graphical **format**; for example ...

Related articles - Cached - All 3 versions

Data structure, database system, and method and computer-readable medium storing program for **data** management and/or conversion

A Yamamoto, H Shimizu, F Ukai - US Patent App. 11/257,359, 2005 - Google Patents

... Association Role (RJ) Of \ **Data** Stored in ID Table V / (TNode ID. ... Search Conditions Creation 262 DB 24 I/O Devices j 5 Search Operation Receiver 260 Search Condition (**query** ... o) Instance (InstanceOf) V «* Rol&: Building (Building) Al: Location (I oca ted-in) T2-1:**Store** 1 (**Store** ...
All 2 versions

Method and system for providing enhanced read performance for a supplemental directory

RH Harvey, RW Ramsay, JJ ... - US Patent App. 11/270,795, 2005 - Google Patents
... 10 SEARCHES WITHOUT ONLY **FILTER** ATT EXTERNAL RIBUTE ONLY INTERNAL **ATTRIBUTE** "NOT" OF ... Such supplemental information may reside in a supplemental **store**, as described in greater ... information in real- time may alleviate the need for **data** synchronization as ...
All 2 versions

Making XPath reach for the web-wide links

[PDF] from unipi.it

L Ahmedi - Proceedings of the 2005 ACM symposium on Applied ..., 2005 - portal.acm.org
... 6. PROCESSING XML LINKS IN **LDAP** Having constituted the model of representing XML links in L AP, we ... The evaluation of the ¼ © function upon L AP **data** is done by the¡ xÆÉ¼h dm ... ½ of the start node as base q, the scope set to4Õ ÆÊ¾, and with no **filter expression** q)¿LL . ...
Cited by 2 - Related articles - All 4 versions

[PDF] Symbols and Numerics

[PDF] from johnwiley.com.au

DB XML - GROUP (ORDER BY) - media.johnwiley.com.au
... right specified (RTRIM(arg1, arg2)), 287 replacing (REPLACE(arg1, search, replace)), 285 ... 150–153 UPDATE, 155 document XML, aggregating (SYS_XMLAGG(exp, [**format**])), 310–311 ... 663–664 user authentication, 317–318 enterprise security database, 90 **LDAP** services, 89 ...
View as HTML - All 2 versions

SYSTEM AND METHOD FOR AN INTEGRATED ENTERPRISE **SEARCH**

S Yaskin, A Zudin - US Patent App. 20,090/204,590, 2009 - freepatentsonline.com
... such as referential integrity external foreign keys, email addresses, social security numbers, **LDAP** user IDs ... In embodiments where the documents **format** is HTML, the document reference is stored as a ... ignored by a significant number of users when returned in search results. ...
Cached

Configuration of a directory system

ML Benson, J Liu, M Leibmann, D ... - US Patent App. 10/ ..., 2003 - Google Patents
... The exemplary remote repositories 220 include **storage** media to **store** information, as ... 302 may hold information such as system configuration information, **data format** specifications, and ... MA) Schema, [0048] Remote Repository Schema, [0049] Connector **filter** Schema, [0050 ...
Cited by 1 - Related articles - All 3 versions

[PDF] Survey on grid and peer-to-peer network technologies

[PDF] from iwayan.info

L Ciminiera, A Sanna, C Zunino-Polito - 2002 - iwayan.info
... IP Address The IP address of the responding host (This field is in big-endian **format**). ... Number of Kilobytes Shared The number of kilobytes of **data** that the servent with the given IP address

and port ... with a QueryHit if it is able to communicate at a speed >= n kb/s Search Criteria A ...
Cited by 6 - Related articles - View as HTML - All 5 versions

A taxonomy of grid monitoring systems [PDF] from psu.edu
S Zanikolas, R Sakellariou - Future Generation Computer Systems, 2005 - Elsevier
... tips (Opens new window) Journal/book title. Volume Issue Page Clear all fields Advanced Search. ... allow users to dynamically **query** an MDS server (using a PHP-based **LDAP** client), ping ... in either binary or ASCII encodings according to the Pablo Self-Defining **Data Format** [21]. ...
Cited by 138 - Related articles - All 13 versions

[PDF] Address Book Mozilla, 318 **LDAP** Mozilla Mail and, 838-840 setup, 832-837 [PDF] from wiley.com
G Accessibility - language - media.wiley.com
... Return to Castle Wolfenstein, 270 common **format**, HTTP logging (httpd.conf file), 800 compatibility ... 119-122 panel **attributes**, 121-122 screensaver, 121 Konqueror, 115-116 **LDAP** access control, 838 ... replication, 837 log levels, 837 search limits, 838 LogSentry, 549 **filter** files, 550 ...
View as HTML - All 2 versions

Method and system for configuring a supplemental directory
RH Harvey, DN Groenveld, JJ ... - US Patent App. 11/ ..., 2005 - Google Patents
... 10 SEARCHES WITHOUT ONLY **FILTER** ATT EXTERNAL RIBUTE ONLY INTERNAL **ATTRIBUTE** "NOT" OF EXTERNAL ... In **LDAP**, for example, this is represented by string identifier, such as a ... of information in real- time may alleviate the need for **data** synchronization as well as ...
All 2 versions

Evaluating event-generated **data** using append-only tables
S Chandrasekaran - US Patent App. 11/638,743, 2006 - Google Patents
... which determine a particular event, is typically associated with generating a **data** record that ... As used herein, "append- only sequence" refers to a **storage** representation of multiple events that ... A **filter** is created, where the **filter** specifies an array of constant values corresponding ...
All 2 versions

[PDF] Note to the Reader: Throughout this index boldfaced page numbers indicate primary discussions of a topic. Italicized page numbers indicate illustrations. [PDF] from wiley.com
RD Connection - database - media.wiley.com
... **filters** logs, 265–266, 265–266 TaskKill and TaskList, 347–350, 348 WinRM, 197, 198 Find utility, 81–82 finding ... 379 variable substitution, 412–414 forcing logoffs, 144 foreground color, 395 forests, 218 ForFiles utility, 407–409 **Format** utility, 103–104 formatting **data** in WMIC ...
View as HTML - All 2 versions

[PDF] IdentiScape Tackling the Personal Online [PDF] from stanford.edu
I Crisis, P Maniatis, M Baker - 2000 - db.stanford.edu
... We do not use **LDAP's** support for **data** schema extensibility, since the definition of new arbitrary schemata is ... The repository makes no effort to parse, type-check or vali- date stored **data**, but values may ... itself knows where Jane is at a finer time grain, so it can **filter** and optionally ...

Related articles - View as HTML - All 10 versions

[PDF] Requirements for a rights **data** dictionary and rights **expression** language [PDF] from psu.edu

D Parrott - Technical Re - Citeseer

... simply being able to describe in a machine readable, standard **format**, the requirements **...** browser (and related) technology, choosing to ignore issues surrounding machine- consumption of **data**. **...** of special cases where initial attempts at common rights **expression** languages are **...**

Cited by 14 - Related articles - View as HTML - All 6 versions

Method and system for improving write performance in a supplemental directory

RH Harvey, JJ McDonald, RW ... - US Patent App. 11/270,896, 2005 - Google Patents

... 10 SEARCHES WITHOUT ONLY **FILTER** ATT EXTERNAL RIBUTE ONLY INTERNAL **ATTRIBUTE** "NOT" OF **...** Such supplemental information may reside in a supplemental **store**, as described in greater **...** information in real- time may alleviate the need for **data** synchronization as **...**

All 2 versions

Declarative rules for metadirectory

K Cameron, ML Benson, JH Booth - US Patent 7,634,480, 2009 - Google Patents

... Search 707/104.1, 707/100 See application file for complete search history **...** can become redundant, inconsistent, or otherwise erroneous, with regard to **data format**, naming, syntax **...** SUMMARY 5 Exemplary methods, systems, architectures and/or **storage** media for organizational **...**

Related articles - All 4 versions

[BOOK] Introduction to grid computing

F Magoulès, J Pan, KA Tan, A Kumar - 2009 - books.google.com

... Preface With the first exploration in May 1999 by David Gedye in using a large number of Internet-connected computers as a supercomputer for searching extraterres- trial intelligence, the Search for ExtraTerrestrial **...** 24 2.3.9 **Data** Access and **Storage** Management . . . . **...**

Cited by 8 - Related articles - Library Search - All 4 versions

[PDF] Identiscape: Tackling the personal online identity crisis [PDF] from psu.edu

P Maniatis, M Baker - ... , Stanford University, Technical Report CSL-TR-00, 2000 - Citeseer

... We do not use **LDAP's** support for **data** schema extensibility, since the definition of new arbitrary schemata **...** The repository makes no effort to parse, type-check or validate stored **data**, but values may be **...** itself knows where Jane is at a finer time grain, so it can **filter** and optionally **...**

Cited by 3 - Related articles - View as HTML - All 13 versions

Method and system for providing a directory overlay

RH Harvey, RW Ramsay, JJ ... - US Patent App. 11/270,793, 2005 - Google Patents

... 10 SEARCHES WITHOUT ONLY **FILTER** ATT EXTERNAL RIBUTE ONLY INTERNAL **ATTRIBUTE** "NOT" OF **...** Such supplemental information may reside in a supplemental **store**, as described in greater **...** information in real- time may alleviate the need for **data** synchronization as **...**

All 2 versions

Design and realization of an information platform for Administration of Press and Publication based on Sharepoint

F Shen - Computer Science & Education, 2009. ICCSE'09. 4th ..., 2009 - ieeexplore.ieee.org

... directory, or users according with some conditions using rules established by **LDAP query** script in ... smooth efficiency from **data** creating, modifying and publishing to the whole search process of ... becomes how to present that content in a meaningful and actionable **format** for the ...

Related articles

[BOOK] MCSE Windows Server 2003 Active Directory Infrastructure Study Guide (Exam 70-294)

D Suhanovs - 2003 - books.google.com

... Requirements 148 Child Domains 150 Forest Root Domain 152 Application **Data Partitions** 154 Domain ... the Network 378 Security Requirements 379 Corporate Policies 379 Network and **Storage** Capacities 379 ... lay out potential problems and solutions in a quick-to-read **format**. ...

All 3 versions

[BOOK] Implementing bea portal 92

MA Kolb - 2007 - books.google.com

... BEA provides a proxy **filter** that communicates from the web server with the portal cluster to determine instance ... Example: The DataSource has a JNDI name that an application looks for to persist **data**. ... It's a good idea to find a tool that can save in either file **format**, such as ...

All 2 versions

[PDF] GRID. IT [PDF] from psu.edu

IQ Answering - 2004 - Citeseer

... The Tools and Algorithms Access Service (TAAS) is responsible for search, selection, and ... iterative knowledge discovery processes, eg, periodical analysis of the same **data** sources varying ... models, classification, etc.), and offers methods to **store** in different formats these results ...

Related articles - View as HTML - All 3 versions

[CITATION] Mcse Win. Server 2003 Act. Dir. Infras. Exam St. Guide

D Suhanovs - 2003 - Dreamtech Press

First experiences using XACML for access control in distributed systems [PDF] from psu.edu

M Lorch, S Proctor, R Lepro, D Kafura, S ... - Proceedings of the 2003 ..., 2003 - portal.acm.org

... 4.2.2 **Partition** search space for locating **attribute** authorities All access control requests present a set ... definition and management of access control policies in a platform independent **format** such as ... The holder DN can either be acquired by searching an **LDAP** server or entered ...

Cited by 126 - Related articles - All 17 versions

[BOOK] MCTS Windows Server 2008 Active Directory Services Study Guide (Exam 70-640)(SET)

D Suhanovs - 2008 - books.google.com

... 134 Application **Data Partitions** .... 509 636/tcp-**LDAP** over SSL ... Q&A ■ The Lab Question at the end of the Self Test section offers a unique and challenging question **format** that requires the reader to understand multiple chapter concepts to answer correctly. ...

All 3 versions

[CITATION] Mcts Windows Serv. 08 Active D.
D Suhanovs - 2009 - Tata McGraw-Hill

Astrolabe: A robust and scalable technology for distributed system monitoring, management, and **data** mining [PDF] from psu.edu
R Van Renesse, KP Birman, W Vogels - ACM Transactions on ..., 2003 - portal.acm.org
... Astrolabe also has a small "footprint" in the sense of computational and **storage** overheads. ... while still benefit- ing from the robustness and scalability of the basic SelectCast **data** distribution tree ... 5Bloom **filters** are also used in the directory service of the Ninja system [Gribble et al ...
Cited by 525 - Related articles - BL Direct - All 30 versions

[PDF] Structure of BE (2003 Course):- [PDF] from vpcoe.org
LPTTP Or - vpcoe.org
... synonyms, homonyms, ontologies, Indexing of documents, measuring retrieval effectiveness , web search engines, Information retrieval and structured **data** . ... inheritance 2. Directory systems – address book using **LDAP** ... a) Create, Edit .VOC file and convert it to .WAV file **format** ...
Related articles - View as HTML - All 4 versions

[PDF] Metadata Management and Context-based Personalization in Distributed Information Systems [PDF] from psu.edu
M Keidl - Technische Universität München, 2004 - Citeseer
... **Query** Resources List **Query** Plan XML XML Search Resources XML **Query** Result XML ... **Data** provider B has a (nested) relational table T. The function provider supplies two relevant **query** operators: a wrapper (wrap S) to transform S into nested relational **format** and a ...
Cited by 2 - Related articles - View as HTML - All 4 versions

[PDF] Agent-based Computing and General Distributed **Search** [PDF] from psu.edu
N Gibbins - 1998 - Citeseer
... as well as its own hierarchical referrals, and indices can be generated for **LDAP** 80] directories ... A search for a common word or phrase in such a system may yield hundreds ... The Knowledge Interchange **Format** 35] is a declarative language for the representation of knowledge by ...
Related articles - View as HTML - All 3 versions

Efficient filtering of XML documents with XPath **expressions** [PDF] from psu.edu
CY Chan, P Felber, M Garofalakis, R Rastogi - The VLDB Journal, 2002 - Springer
... XML Accelerator [7]). Given the increased complexity of structural, XPath-based **data filters**, the problem ... intuitive means for specifying tree-structured constraints in XML and **LDAP** applications [3 ... key features of XPEs that will prove most useful in **data**-dissemination applications. ...
Cited by 381 - Related articles - BL Direct - All 43 versions

[PDF] PIER: Internet Scale P2P **Query** Processing with Distributed Hash Tables [PDF] from huebsch.org
RJ Huebsch - 2008 - huebsch.org
... based **query** processing systems, including well-known systems like DNS [56] and **LDAP** [37], filesharing ... result in real time, and could be used to automatically parametrize packet **filters** in a ... In both distributed and parallel databases the **data** is fragmented among the nodes. ...

Cited by 1 - Related articles - View as HTML - All 5 versions

Joint Battlespace Infosphere (JBI): Information Management in a Netcentric Environment [PDF] from dtic.mil

M Linderman, VT Combs, RG Hillman, MT Muccio, RW ... - 2006 - oai.dtic.mil

... For example, **partitioning** channels by geographical extent works if the regions of interest are static, but if the **data** represent the forward line of battle, this is constantly shifting. ... The **filter** is applied to the payload (if in XML **format**) to determine what portions of the payload ...

Cited by 1 - Related articles - View as HTML - All 3 versions

[PDF] E ducatio na lS [PDF] from qik.in

LPTTP Or - qik.in

... Divide and Conquer: General Strategy, Exponentiation. Binary Search, Quick Sort and Merge Sort. ... Source language issues, **Storage** organization and allocation strategies, for block structured and non block structured languages, Activation record, variable-length **data**, ...

Related articles - All 2 versions

[PDF] **Data** Management in HPC [PDF] from psu.edu

G Erbacci, M Sbrighi - 2003 - Citeseer

... **data** are organized .....90 6.4.4 **Filters** .....91 ... operating systems and the underlying **storage** and networking ... policies, security assets and policies, **data format** proliferation; ...

View as HTML - All 3 versions

[PDF] A Globally Distributed System for Job, **Data**, and Information Handling for High-Energy Physics [PDF] from psu.edu

G Garzoglio - 2006 - Citeseer

... 93 3.8 Example of an XML to CLASSAD **Format** Conversion by the Advertisement Framework ... Monitoring and Dis- covery Service (MDS), a GSI-enabled version of an **LDAP** server ... 1. Provide reliable **data storage**, either directly from the detector or from **data** processing facilities ...

Cited by 3 - Related articles - View as HTML - Library Search - All 8 versions

System and method for immutably storing electronic assets in a large-scale computer system

R Smolen, D Earman, R Ripley, D Isaac - US Patent 7,711,703, 2010 - Google Patents

... Service Local Cache Out: ACE LS&C **Storage** Management F/S Interface Archival **Storage** Database Interface ... CLOB **data** field xml xml xml Server 1 Cache Server 2 Cache File System FIG. ... of 15 I Federator (search scaling) t Peer Federator (user scaling) Search Engine Instance ...

Related articles - All 4 versions

[PDF] Apache (continued) [PDF] from wiley.com

A Hadoop, APR APR - media.wiley.com

... DML), 18, 26 **data**–sources(), 248, 283 DATE–ADD(), 67 DATE–**FORMAT**(), 68 DATE ... 250 comma-delimited **data**, 22, 388 ideographic languages and, 152 tab-delimited **data**, 22 ... handling, 462 Configuration Section Container Directives, 436–440 error, 448–449 **filter**, 461–462 ...

View as HTML - All 2 versions

[PDF] Quality of Service and Optimization in **Data** Integration Systems [PDF] from psu.edu

R Braumandl - Actes du GI-Fachtagung Datenbanksysteme für ..., 2003 - Citeseer
... Furthermore, the search for qualifying pairs of real estate and airport **data** items would have to be performed manually. ... of **attribute** types. For each **attribute** type a **data** field exists in each record of the corre- sponding record type. ... An **attribute** type can be one of the following: ...
Cited by 3 - Related articles - View as HTML - All 19 versions

[BOOK] Logical database design principles
J Garmany, J Walker, T Clark - 2005 - books.google.com
... of IP Addressing Gilbert Held ISBN: 0-8493-1144-6 The ABCs of **LDAP** Reinhard Voglmaier ... This book has undergone a number of changes both in content and in **format** since Auerbach ... for a DBMS to efficiently support the **storage** and retrieval of company **data**, the schema ...
Cited by 1 - Related articles - All 4 versions

[PDF] Grid and Peer-to-Peer Resource Discovery Systems **[PDF]** from unive.it
M Mordacchini - 2007 - dev.unive.it
... 11 2.2 **LDAP** . . . . and update messages, and derive simple analytical **expressions**, like the precision and the recall of our search algorithm as ... forecasting model from an application service provider (ASP), providing it with access to appropriate proprietary historical **data** from a ...
Related articles - View as HTML - All 7 versions

Sequence event processing using append-only tables
S Chandasekaran - US Patent App. 11/638,737, 2006 - Google Patents
... One or more **expressions** are then evaluated based on the plurality of records that are stored in the append ... convenient logical abstraction for the activities that it rep- resents, many application systems may not physically **store** and **query** event-generated **data** as sequences ...
All 2 versions

[PDF] A Index **[PDF]** from johnwiley.com.au
AT Scheduler - architecture - media.johnwiley.com.au
... D **data** types JScript, 40–42 PowerShell pipe and, 63–65 PowerShell richer, 69–73 print queue ... building library of AD functions, 572–574 creation parameters, 564–565 defining, 564 FileTime **format**, 567–568 finding related entries in AD, 574–576 **LDAP filters**, 568–569 ...
View as HTML - All 2 versions

[PDF] computer system **[PDF]** from epo.org
P SE, YU AL BA HR MK - **data**.epo.org
... to tag all those assets with users; and/or use a tagged-text (eg, XML) **format** to enable ... design information is lost or corrupted (eg, humans may make sense of XML **data** by reading ... based on the item identification scheme above to enable highly- scalable federated search of the ...
View as HTML - All 2 versions

Fixed **format** stream in a communication services patterns environment
MK Bowman-amuah - US Patent 6,549,949, 2003 - freepatentsonline.com
... 236. Other Classes: 709/246. International Classes: H04L29/06; G06F15/16. Field of Search: ...

systems communicating via Stream-Based Communication and using a shared generic **format** to relay ... 158 illustrates a flowchart for a method for controlling **data** in accordance with an ...
Cited by 85 - Related articles - Cached

Efficient server side **data** retrieval for execution of client side applications

MK Bowman-amuah - US Patent 6,615,253, 2003 - freepatentsonline.com
... G06F12/00; G06F15/16; G06F17/00; G06F15/16; G06F17/00; G06F12/00. Field of Search: ... two systems communicating via Stream-Based Communication and using a shared generic **format** to relay the ... 119 illustrates the transmitting of all **data** in a **Data** Structure from a client to a ...
Cited by 133 - Related articles - Cached

SYSTEM AND METHOD FOR BUSINESS OBJECT MODELING

VV Murty - US Patent App. 12/102,403, 2008 - Google Patents
... ORM) tools provide a bridge between the rela- tional environment and the object environment, so that **data** can be persisted in a relational **data** model and ... 15, 2009 Sheet 14 of 25 US 2009/0259683 Al POJO Showing Object **Storage** Of Extension **Attribute** Values 1701 ...
All 2 versions

[PDF] Enter Once, Share Everywhere

[PDF] from psu.edu

A Sahuguet, R Hull, D Lieuwen, M Xiong - Citeseer
... schema describing a limited set of user profile information and (2) a client/server protocol (**LDAP** or HTTP ... GUP, it is very likely that the GUP group will adoptXML as the underlying **format** for the ... of mappings between a sub-tree of the GUP schema and one or more **data** stores.We ...
View as HTML - All 5 versions

[PDF] Distributed Decision Tree Induction within the Grid **Data** Mining Framework GridMiner-Core

[PDF] from psu.edu

GM TR2004 - 2004 - Citeseer
... 60 4.5 Vertical and Horizontal **Data Partitioning** . . ... Weather Service focuses on resource monitoring and prediction, the NetSolve environment on remote numerical cal- culations and SDSCs **Storage** Resource Broker on uniform access to heterogeneous **data** resources. ...
Related articles - View as HTML - All 4 versions

Integration Services

R Maier, T Hädrich, R Peinl - Enterprise Knowledge Infrastructures, 2009 - Springer
... The most popular **format** for document type declarations is XML Schema ... As XML is used for semi-structured **data**, there is also the need to define more constraints for ... Therefore, it is an integral component of native XML databases (See "**Storage** in an XML database" on page 185 ...

[PDF] VM-based event-processing in sensor networks

[PDF] from ethz.ch

J Li, R Müller, G Alonso - 2008 - e-collection.ethbib.ethz.ch
... It **partitions** the approaches into three categories according to the highest level of abstraction they provide to their programmers or upper ... to employ a declarative language such as the case in the sensor database approach, which allows users to **query** sensor **data** by SQL ...
Related articles - View as HTML - All 2 versions



Gooooooogle ▶

Result Page: 1 2 3 4 5 6 **Next**

LDAP filter format data store attrib Search

Go to Google Home - About Google - About Google Scholar

©2010 Google

Web Images Videos Maps News Shopping Gmail more ▼

Scholar Preferences | Sign in

Google scholar LDAP filter format data store attribute partition Search Advanced Scholar Search

Scholar Articles and patents - 2003 include citations Create email alert Results **1** - **100** of about **173**. (**0.69** sec)

Lightweight directory access protocol (**LDAP**) directory server cache mechanism and method

DJ Byrne, CR Murthy, SB Shi, CL Shu - US Patent 6,347,312, 2002 - Google Patents

... EntryData. Entries are stored using a simple text **format** of the form "**attribute**: value". ... Descendant Table: The purpose of this table is to support the subtree search 1° feature of **LDAP**. ... Each **LDAP** entry is assigned an unique identifier (BID) by the backing **store**. ...

Cited by 76 - Related articles - All 2 versions

Method of hierarchical **LDAP** searching with relational tables

DW Bachmann, CF Corn, LG Fichtner, RA ... - US Patent ..., 2000 - Google Patents

... For example, the API function ldap searchQ may be used to perform a given directory search. ... image, a network dispatcher 37 may be deployed to route requests among the **LDAP** servers 36. FIG. ... This configuration enables users to **store** up to terabytes of **data** into the database. ...

Cited by 85 - Related articles - All 2 versions

Efficient implementation of lightweight directory access protocol (**LDAP**) **search queries** with structured **query** language (SQL)

CF Corn, LG Fichtner, RA Mancisidor, SB ... - US Patent 6,356,892, 2002 - Google Patents

... Entries are stored using a simple text **format** of tion. ... technique 3Q In addition to the table structures described above, the may be used to search any relational database using following SQL SELECT statements are used by **LDAP**/DB2 hierarchical, **filter**-based database ...

Cited by 20 - Related articles - All 2 versions

[PDF] An enterprise directory solution with DB2 [PDF] from uni-duisburg.de

SSB Shi, E Stokes, D Byrne, CF Corn, D ... - IBM Systems ..., 2000 - uni-duisburg.de

... In addition, we also have an **LDAP** entry table that holds the information about anLDAP entry. ... the EID of the entry and support- ing LDAP_SCOPE_ONELEVEL and LDAP_SCOPE_BASE search scope ... Entries are stored using a simple text **format** of the form "**attribute**: value" as in ...

Cited by 19 - Related articles - View as HTML - BL Direct - All 13 versions

[PDF] On processing XML in **LDAP** [PDF] from vldb.org

PJ Marrón, G Lausen - Proceedings of the VLDB'01, 2001 - vldb.org

... taken as an ex- ample(figure2) an excerpt of the Mondial database available in XML **format** from[14 ... such that: (1)bq†L,fq†L andpq†L are defined as in the **LDAP** Model; and ... be searched; subtree, if all nodes under the base should be considered by the **filter expression**; parent, if ...

Cited by 22 - Related articles - View as HTML - BL Direct - All 5 versions

[BOOK] **LDAP** system administration [PDF] from lissyara.su

G Carter - 2003 - books.google.com

... **Attribute** types have defined encoding and matching rules that govern such things as the type of **data** the **attribute** can hold and how to compare this **data** during a search. ... The **LDAP** Interchange **Format** (LDIF), defined in RFC 2

Cited by 88 - Related articles - Library Search - All 20 versions

[PDF] Making **LDAP** Active with the LTAP Gateway; Case Study in Providing Telecom Integration and Enhanced Services [PDF] from psu.edu

R Arlein, J Freire, N Gehani, D Lieuwen, J ... - Lecture notes in computer ..., 2001 - Citeseer

... proposes the use of a single logical source for needed information and encourages **storage** of **data** in a standard **format** to enable ... The second part of the LTAP condition, the **LDAP filter**, constrains the trigger to fire only when the object satisfies the **filter**, for example when ...

Cited by 8 - Related articles - View as HTML - BL Direct - All 10 versions

LDAP, Databases and Distributed Objects: Towards a better integration

T Delot, P Déchamboux, B Finance, Y Lepetit, G ... - Databases in ..., 2001 - Springer

... level ? **filter ldap**://nldap.com/c=us? sub ? (cn = Bill*) ... For the time being, **LDAP query** results are considered as an unstructured bag of entries defined in LDIF (**LDAP Data** Interchange **Format**) which is very limited; hierarchic links between entries are lost in the result. ...

Cited by 4 - Related articles - BL Direct - All 5 versions

Managing CORBA objects with dynamic behavior in a Directory [PDF] from rmit.edu.au

T Delot, B Finance - ... Objects and Applications, 2001. DOA'01. ..., 2002 - ieeexplore.ieee.org

... The full DN **format** is described in [12]. L C=GB I t CN=John Joncs O= Graphic Scrvicrs CN=Laser Printer CN= Zue hgc ... **filter** expressed : Figure 3: **LDAP query expression** The base object DN clause defines the root of the search using a distinguished name, the scope clause ...

Cited by 1 - Related articles - All 4 versions

Support for RDBMS in **LDAP** system

SP Ghatare - US Patent App. 10/682,575, 2003 - Google Patents

... DB Server **LDAP** Server ^*~- ^r -402 -404 •406 •450 FIG. ... create **filter** for **data store** 1412 provide **filter** to Translation Module more **partition expressions**? ... 20 create **filter expression** tree (FT) 1440 create **partition expression** tree (PT) 1442 access mapped **attributes** (MA) 1444 call ...

All 2 versions

Translating **data** access requests

SP Ghatare - US Patent App. 10/682,252, 2003 - Google Patents

... access requests between a **format** suitable for a relational database and a different **format** used by ... 1 \ \ / \ \ 432 _V [^ — ~> 43^ !• DB **LDAP** Server Server ... 20 create **filter expression** tree (FT) 1440 create **partition expression** tree (PT) 1442 access mapped **attributes** (MA ...

All 2 versions

Third International Symposium on Distributed Objects and Applications (DOA'01)

T Delot, B Finance - 2001 - computer.org

... The full DN **format** is described in [12]. CN=Fax Machine CN=Sarah Miles OU=Research ... The

storage model adopted in **LDAP** is based on vertical **partitioning** of entries; for each **attribute** an index is defined. ... The **filter** clause can be delayed until all external entries are reached. ...
Related articles - All 3 versions

[PDF] Overview of existing XML **storage** techniques [PDF] from 168.188.128.62
S Amer-Yahia, M Fernandez - submitted for publication, 2002 - 168.188.128.62
... de- fine a search scope (itself, children or whole subtree rooted at node) for the search. ... further with more flexible mappings and a more comprehensive XQuery to **LDAP query** translation ... is defined, users must write the correspond- ing input XML document in the following **format**: ...
Cited by 11 - Related articles - View as HTML - All 2 versions

[BOOK] Understanding and deploying **LDAP** directory services [PDF] from lissyara.su
T Howes, M Smith, GS Good - 2003 - books.google.com
... vii Selected LDAPv3 Extensions 127 The ManageDSAIT Control 128 The Persistent Search Request and ... 8. Schema Design 259 The Purpose of a Schema 260 Elements of **LDAP** Schemas 261 ... Formats 273 The LDAPv3 Schema **Format** 273 The ASN.1 Schema **Format** 280 ...
Cited by 216 - Related articles - Library Search - All 8 versions

[BOOK] **LDAP** programming with Java
R Weltman, T Dahbura - 2000 - books.google.com
... CHAPTER 2 The Lingua Franca of Directodes Is **LDAP** CHAPTER 3 May We Introduce— Directory SDK for Java ... A directory is a service that allows you to search a structured repository of informa- tion. ... Most directories offer a hierarchical rather than a relational view of the **data**. ...
Cited by 17 - Related articles - All 2 versions

[PDF] Policy Framework Working Group J. Strassner Internet-draft A. Westerinen Category: Standards Track Cisco Systems E. Ellesson LongBoard, Inc. [PDF] from 64.170.98.42
B Moore, R Moats, PCL Schema - Policy, 2001 - 64.170.98.42
... of classes specifically designed to optimize retrieval of large amounts of policy-related **data** from a ... The **LDAP**-enabled directory then returns all entries in that subtree that satisfy the specified criteria. ... The **filter** for searching this subtree is whatever the client is going to use later to ...
View as HTML

[PDF] Policy Framework Working Group J. Strassner Internet-draft INTELLIDEN, Inc. Category: Standards Track A. Westerinen Cisco Systems [PDF] from levkowetz.com
E Ellesson, B Moore, R Moats, PCL Schema - Policy, 2001 - cabernet.levkowetz.com
... of classes specifically designed to optimize retrieval of large amounts of policy-related **data** from a ... The **LDAP**-enabled directory then returns all entries in that subtree that satisfy the specified criteria. ... The **filter** for searching this subtree is whatever the client is going to use later to ...
Related articles - View as HTML - All 2 versions

[PDF] Policy Framework Working Group J. Strassner Internet-draft Cisco Systems Category: Standards Track E. Ellesson LongBoard, Inc. [PDF] from 64.170.98.42
B Moore, R Moats, PCL Schema - Policy, 2001 - 64.170.98.42

... of classes specifically designed to optimize retrieval of large amounts of policy-related **data** from a ... The **LDAP**-enabled directory then returns all entries in that subtree that satisfy the specified criteria. ... The **filter** for searching this subtree is whatever the client is going to use later to ...
View as HTML

[PDF] **Storage** techniques and mapping schemas for XML [PDF] from psu.edu

S Amer-Yahia - SIGMOD Record, 2003 - Citeseer
... 1. INTRODUCTION XML is the standard **format** for **data** exchange between Web ap- plications. ... These **queries** apply full-text search operators while ignoring specific markup in the searched text. ... with linear prop- erties to compute children and descendants of entities in **LDAP**. ...
Cited by 14 - Related articles - View as HTML - All 4 versions

Multi-dimensional analysis of objects by manipulating discovered semantic properties

T Conrad, S Wiener - US Patent 6,028,605, 2000 - Google Patents
... The semantic model is stored as metadata in an intermediate **format** on the com ... and uses the feedback to modify subsequent **queries** and displayed search results ... ccrnpaHiivB ianalysis \ Best Practices Customer 'Presentations' Industry and Marketing **data** Instructional Materials ...
Cited by 78 - Related articles - All 2 versions

Dynamic organization model and management computing system and method therefor

EC Cheng - US Patent 6,067,548, 2000 - Google Patents
... 30 [52] US Cl 707/103; 707/101; 707/104 [58] Field of Search 707/104 ... The present invention methodology does not dictate the under- lying **data** model, although the preferred ... When a relational database implementation is chosen, users define the **attributes** 60 of the members ...
Cited by 98 - Related articles - All 5 versions

[PDF] Policy Framework Working Group J. Strassner Internet-draft Intelliden Corporation Category: Standards Track E. Ellesson LongBoard, Inc. [PDF] from 64.170.98.42

B Moore, R Moats, PCL Schema - Policy, 2002 - 64.170.98.42
... of classes specifically designed to optimize retrieval of large amounts of policy-related **data** from a ... Relying only on a subtree search, though, runs the risk of missing conditions or ... a second way of representing rule-specific conditions and actions in an **LDAP**-accessible directory ...
Related articles - View as HTML - All 5 versions

[PDF] Policy Framework Working Group J. Strassner Internet-draft Intelliden Corporation Category: Standards Track B. Moore IBM Corporation [PDF] from levkowetz.com

R Moats, E Ellesson, PCL Schema - Policy, 2002 - cabernet.levkowetz.com
... of classes specifically designed to optimize retrieval of large amounts of policy-related **data** from a ... Relying only on a subtree search, though, runs the risk of missing conditions or ... a second way of representing rule-specific conditions and actions in an **LDAP**-accessible directory ...
View as HTML - All 4 versions

Service discovery and publication

AD Milligan, CR Reeves, JB Parham, GKR ... - US Patent App. 10/ ..., 2003 - Google Patents
... In addition, service information may be stored in a persistent **data store** managed by a ... 172 180

Operating System Application Programs Other Modules Program **Data** 158- 160- 162 **...**
Scopes.Add (new ConcreteScope // **Filter** for only printers SimpleFilter **filter** = new SimpleFilter **...**
Related articles - All 5 versions

Haystack: A platform for creating, organizing and visualizing information using RDF [PDF] from psu.edu
D Huynh, D Karger, D Quan - Semantic Web Workshop, 2002 - aaai.org
... The layout part that shows the messages in a list view **format** allows the user to reorder the **...** For example, agents can automatically **filter** a user's e-mail for documents that appear to fit in one or **...** on a regular basis, fulfill **queries**, and interface with the file system and **LDAP** servers. **...**
Cited by 128 - Related articles - All 25 versions

[PDF] Directory Services for Linux [PDF] from daasi.de
N Klasen - Comparison with Novell NDS and Microsoft Active ..., 2001 - daasi.de
... because of historic reasons, since its semantics can be reproduced by a tailored search operation **...** the overwhelming majority of **queries**4 to X.500 DSAs came via **LDAP**, a new **...** It incorporated the actual **data store** mech- anism into the **LDAP** daemon and was named "standalone **...**
Cited by 1 - Related articles - View as HTML - All 20 versions

[PDF] Application Driven Networking: Concepts and Architecture for Policy-Based Systems [PDF] from ibm.com
J Follows, D Straeten - IBM Red Book, 1999 - redbooks.ibm.com
... LIDIA's goal was to provide a raw **LDAP**-based (Lightweight Directory Access Protocol) repository interface to **store** schemata and **...** DEN defines a directory as a centralized repository that coordinates information **storage** and retrieval, enabling other **data**- and application **...**
Cited by 10 - Related articles - View as HTML - All 4 versions

System and method for accessing a directory services respository
DT Ferguson - US Patent 6,016,499, 2000 - Google Patents
... "ODBC search results", Microsoft Site Search Results, Microsoft **...** to provide such a system and method which makes the information stored by NCP software available in a relational database **format**. **...** The API may include a Lightweight Directory Access Protocol ("**LDAP**") API. **...**
Cited by 67 - Related articles - All 2 versions

[PDF] Optimizing XML Path **Queries** over Relational Databases [PDF] from psu.edu
MC Pilar - 2002 - Citeseer
... because there is no separate description of its type or structure and its **data**. TheExtensible Markup Language (XML), as a **format** for semistructured **data**, **...** and Lorel AQM+97]. Storing XML Documents There are several approaches to **store** XML **data**. The rst and most ob- **...**
Related articles - View as HTML - All 5 versions

[HTML] Adaptive Directory Services for Highly Dynamic Environments [HTML] from computer.org
DM Silva, F Kon - IEEE Distributed Systems Online, 2001 - dsonline.computer.org
... **LDAP** clients can search for objects in the directory by issuing requests containing Boolean **expressions** ... Hosts in the grid were responsible for pushing information into the **LDAP** servers periodically **...** **data** can then be displayed to the user in textual or graphical **format**; for example **...**
Related articles - Cached - All 3 versions

Configuration of a directory system

ML Benson, J Liu, M Leibmann, D ... - US Patent App. 10/ ..., 2003 - Google Patents

... The exemplary remote repositories 220 include **storage** media to **store** information, as ... 302 may hold information such as system configuration information, **data format** specifications, and ... MA) Schema, [0048] Remote Repository Schema, [0049] Connector **filter** Schema, [0050 ...

Cited by 1 - Related articles - All 3 versions

[PDF] Survey on grid and peer-to-peer network technologies [PDF] from iwayan.info

L Ciminiera, A Sanna, C Zunino-Polito - 2002 - iwayan.info

... IP Address The IP address of the responding host (This field is in big-endian **format**). ... Number of Kilobytes Shared The number of kilobytes of **data** that the servent with the given IP address and port ... with a QueryHit if it is able to communicate at a speed >= n kb/s Search Criteria A ...

Cited by 6 - Related articles - View as HTML - All 5 versions

[PDF] IdentiScape Tackling the Personal Online [PDF] from stanford.edu

I Crisis, P Maniatis, M Baker - 2000 - db.stanford.edu

... We do not use **LDAP's** support for **data** schema extensibility, since the definition of new arbitrary schemata is ... The repository makes no effort to parse, type-check or vali- date stored **data**, but values may ... itself knows where Jane is at a finer time grain, so it can **filter** and optionally ...

Related articles - View as HTML - All 10 versions

[PDF] Identiscape: Tackling the personal online identity crisis [PDF] from psu.edu

P Maniatis, M Baker - ... , Stanford University, Technical Report CSL-TR-00, 2000 - Citeseer

... We do not use **LDAP's** support for **data** schema extensibility, since the definition of new arbitrary schemata ... The repository makes no effort to parse, type-check or validate stored **data**, but values may be ... itself knows where Jane is at a finer time grain, so it can **filter** and optionally ...

Cited by 3 - Related articles - View as HTML - All 13 versions

[BOOK] MCSE Windows Server 2003 Active Directory Infrastructure Study Guide (Exam 70-294)

D Suhanovs - 2003 - books.google.com

... Requirements 148 Child Domains 150 Forest Root Domain 152 Application **Data Partitions** 154 Domain ... the Network 378 Security Requirements 379 Corporate Policies 379 Network and **Storage** Capacities 379 ... lay out potential problems and solutions in a quick-to-read **format**. ...

All 3 versions

[CITATION] Mcse Win. Server 2003 Act. Dir. Infras. Exam St. Guide

D Suhanovs - 2003 - Dreamtech Press

First experiences using XACML for access control in distributed systems [PDF] from psu.edu

M Lorch, S Proctor, R Lepro, D Kafura, S ... - Proceedings of the 2003 ..., 2003 - portal.acm.org

... 4.2.2 **Partition** search space for locating **attribute** authorities All access control requests present a set ... definition and management of access control policies in a platform independent **format** such as ... The holder DN can either be acquired by searching an **LDAP** server or entered ...

Cited by 126 - Related articles - All 17 versions

Astrolabe: A robust and scalable technology for distributed system monitoring, management, and **data** mining [PDF] from psu.edu

R Van Renesse, KP Birman, W Vogels - ACM Transactions on ..., 2003 - portal.acm.org

... Astrolabe also has a small "footprint" in the sense of computational and **storage** overheads. ... while still benefit- ing from the robustness and scalability of the basic SelectCast **data** distribution tree ... 5Bloom **filters** are also used in the directory service of the Ninja system [Gribble et al ...

Cited by 525 - Related articles - BL Direct - All 30 versions

[PDF] Agent-based Computing and General Distributed **Search** [PDF] from psu.edu

N Gibbins - 1998 - Citeseer

... as well as its own hierarchical referrals, and indices can be generated for **LDAP** 80] directories ... A search for a common word or phrase in such a system may yield hundreds ... The Knowledge Interchange **Format** 35] is a declarative language for the representation of knowledge by ...

Related articles - View as HTML - All 3 versions

Efficient filtering of XML documents with XPath **expressions** [PDF] from psu.edu

CY Chan, P Felber, M Garofalakis, R Rastogi - The VLDB Journal, 2002 - Springer

... XML Accelerator [7]). Given the increased complexity of structural, XPath-based **data filters**, the problem ... intuitive means for specifying tree-structured constraints in XML and **LDAP** applications [3 ... key features of XPEs that will prove most useful in **data**-dissemination applications. ...

Cited by 381 - Related articles - BL Direct - All 43 versions

[PDF] **Data** Management in HPC [PDF] from psu.edu

G Erbacci, M Sbrighi - 2003 - Citeseer

... **data** are organized .....90 6.4.4 **Filters** .....91 ... operating systems and the underlying **storage** and networking ... policies, security assets and policies, **data format** proliferation; ...

View as HTML - All 3 versions

[PDF] Quality of Service and Optimization in **Data** Integration Systems [PDF] from psu.edu

R Braumandl - Actes du GI-Fachtagung Datenbanksysteme für ..., 2003 - Citeseer

... Furthermore, the search for qualifying pairs of real estate and airport **data** items would have to be performed manually. ... of **attribute** types. For each **attribute** type a **data** field exists in each record of the corre- sponding record type. ... An **attribute** type can be one of the following: ...

Cited by 3 - Related articles - View as HTML - All 19 versions

Fixed **format** stream in a communication services patterns environment

MK Bowman-amuah - US Patent 6,549,949, 2003 - freepatentsonline.com

... 236. Other Classes: 709/246. International Classes: H04L29/06; G06F15/16. Field of Search: ... systems communicating via Stream-Based Communication and using a shared generic **format** to relay ... 158 illustrates a flowchart for a method for controlling **data** in accordance with an ...

Cited by 85 - Related articles - Cached

Efficient server side **data** retrieval for execution of client side applications

MK Bowman-amuah - US Patent 6,615,253, 2003 - freepatentsonline.com

... G06F12/00; G06F15/16; G06F17/00; G06F15/16; G06F17/00; G06F12/00. Field of Search: ... two

systems communicating via Stream-Based Communication and using a shared generic **format** to relay the **...** 119 illustrates the transmitting of all **data** in a **Data** Structure from a client to a **...**
Cited by 133 - Related articles - Cached

Attribute dictionary in a business logic services environment
MK Bowman-amuah - US Patent 6,601,234, 2003 - freepatentsonline.com
... Field of Search: 717 **...** FIG. 106 illustrates two systems communicating via Stream-Based Communication and using a shared generic **format** to relay the meta-**data** information; **...** FIG. 119 illustrates the transmitting of all **data** in a **Data** Structure from a client to a server and visa-versa; **...**
Cited by 89 - Related articles - Cached

[PDF] Shibboleth architecture draft v05 [PDF] from psu.edu
M Erdos, S Cantor - Internet2/MACE, May, 2002 - Citeseer
... AA may **store attributes** directly, or more likely will obtain them from the institution's **LDAP** directory or **...** The additional **data** in the handle package includes the location of the AA at which the **...** Shibboleth also doesn't currently specify a **format** for AAPs since we don't currently have **...**
Cited by 58 - Related articles - View as HTML - All 12 versions

Architectures enabling scalable Internet **search** [PDF] from rwth-aachen.de
A Uhl - 2003 - sylvester.bth.rwth-aachen.de
... For example, the product descriptions of an online **store** are searchable according to definition 1.1 if the **store's** main page **...** Figure 2.1: Typical architecture of a search engine **...** Due to the inversion the **data** structure is very efficient for answering keyword **queries** (close to O(1 **...**
Cited by 2 - Related articles - View as HTML - All 8 versions

Tracking, recording and organizing changes to **data** in computer systems
MA Moraes, JR Soss - US Patent App. 10/635,041, 2003 - Google Patents
... detects and records changes made to **data** items by processes in a computer system. Processes and changes are organized as change sessions in a change history database and tagged with user-provided reasons and other identification fields. A **query** module provides **...**
All 2 versions

[BOOK] Perl for system administration
DN Blank-Edelman - 2000 - books.google.com
... tration stalwarts like backup and printing are edged out by newer topics like **LDAP** and SNMP. **...** Whenever we encounter an intermediate- to-advanced technique, **data** structure, or idiom, I'll take the **...** easiest way to find the modules on CPAN is to use the search engine developed **...**
Cited by 16 - Related articles - Library Search - All 9 versions

[BOOK] DB2 version 8: the official guide
P Zikopoulos, G Baklarz, RB Melnyk, D Deroos - 2003 - books.google.com
... 57 How **Data** Compression Works in DB2 UDB 57 The New Row Record **Format** 59 Compression **...** ARAM| 94 New]oin Variaoons 95 Increased OpportOOity for Selection of Bit-**Filters** 95 Part 3 **...** Service Level Install for UNIX 170 New Tivoli-focused Opoons 171 **LDAP** Support on **...**
Cited by 4 - Related articles - All 2 versions

[PDF] of thesis: Service Discovery Solutions' Federation [PDF] from psu.edu

T Koponen - 1924 - Citeseer

... to encode broadcast quality multi- channel audio and video into digital **format**. ... has specified mappings (transport managers) from Bluetooth [4], Infrared **Data** Association (IrDA **...** the following domain name specifies a Lightweight Directory Access Protocol (**LDAP**) server example **...**

Related articles - View as HTML - All 5 versions

[DOC] JISC Circular 15/98 [DOC] from bris.ac.uk

C Lagoze, D Brickley, J Hunter - 1999 - ilrt.bris.ac.uk

... DC:**Format**.Length>30 mins</DC:**Format**.Length **...** Do users find the search system to be an effective research and learning tool **...** Systems Technology Centre, Dublin core qualification specification; MPEG-7 and SMIL extensions specification; Metadata **expression** in RDF **data** model **...**

Related articles - View as HTML - All 3 versions

[PDF] A report submitted to the Department of Computer Science [PDF] from psu.edu

M Ali, D Ranjha, S Shah, MB Siddiqui - 2003 - Citeseer

... makes it possible to develop applications once, and a single, common binary **format** enables the **...** we need it, without forcing our eyes to examine thousands of search-engine hits **...** Certifying (SFS) and Cooperative (CFS) File Systems provide secure access to **data** over distrusted **...**

Related articles - View as HTML - All 5 versions

[PDF] Metadata support for connecting application components asynchronously [PDF] from psu.edu

O Seidel... - 1999 - Citeseer

... During this research an appropriate **format** has been chosen to represent the metadata. ... 2.3.4 Light-Weight Directory Access Protocol (**LDAP**) . ... 1 Such a platform could provide pre-packaged objects for the creation of video windows, search dialogs, search result presentation, etc **...**

Cited by 1 - Related articles - View as HTML - All 3 versions

[PDF] Self-organizing resource location and discovery [PDF] from psu.edu

D Doval - 2003 - Citeseer

... 159 B Manifold Message **Format** 161 B.1 Introduction . . . . . **...** is in their vicinity (as defined by the topology of the network). The search 21 Page 32. **...** DHCP (Section 2.5.2) lookups or **LDAP**(Section 2.5.4) **queries** are examples of lo- cal/inexact requests. **...**

Related articles - View as HTML - All 4 versions

Method and apparatus for performing a research task by interchangeably utilizing a multitude of **search** methodologies

OK Robert Jr - US Patent App. 20,020/091,686, 2001 - freepatentsonline.com

... 2006 - 20060184526 Synchronized replica for web host Bremers - September, 2005 - 20050198087 **LDAP** revision history **...** an internet connection with the server to utilize the search methodologies. **...** a particular node can be displayed in an encyclopedia-like **format**, wherein the **...**

Cached - All 2 versions

Enterprise JavaBeans and Microsoft transaction server: Frameworks for distributed enterprise components

A Leff, J Prokopek, JT Rayfield, I Silva-Lepe - Advances in Computers, 2002 - Elsevier

... Opens new window) Journal/book title. Volume Issue Page Clear all fields Advanced Search. ... arrive at the other end of the link (demarshalling); 9 performing **data format** translation (eg ... and SQL Server; and naming (JNDI) wraps technologies such as CosNaming, **LDAP**, and DNS ...
Cited by 8 - Related articles - BL Direct - All 3 versions

Knowledge-based e-catalog procurement system and method
GC Berkowitz, D Serebrennikov, BM Roe, ... - US Patent App. 10/ ..., 2002 - Google Patents
... 27, 2003 US 2003/0061122 Al (such as **LDAP** servers) Functional View Kxprrt User Standard ... First, IntelleCat allows a much greater flexibility with regard lo the **format** of the ... a very intuitive and flexible search mechanism that also captures and shares search knowledge among ...
All 2 versions

[PDF] Increasing the Value of Meta **Data** by Using Associative Semantic Networks [PDF] from psu.edu
M Mair - 2002 - Citeseer
... The article says: When **data** of any sort are placed in **storage**, they are filed al- phabetically or numerically, and information is found (when it is) by tracing it down from subclass to subclass. ... ... 2.1 Search Engines Meta **data** forms the primary type of information in library systems. ...
Related articles - View as HTML - All 10 versions

Authorizing message publication to a group of subscribing clients via a publish/subscribe service
BD Goodman, F Jania, KC Lagarde, C Shu, ... - US Patent App. 10/ ..., 2003 - Google Patents
... 10, 2003 Related US Application **Data** (62) Division of application No. ... SS 102 Base Computer....- 101 Memory Mouse Processor 104 100 105 106 107 **Storage** Media •rinter/Scanner 110 ... to any plug-ins Ale ON or OFF' for this applicatio 9 / OFF 811 messag pass **filter** check 9 ...
All 2 versions

[BOOK] Distributed object architectures with CORBA
H Balen, M Elenko - 2000 - books.google.com
... Library of Congress Cataloging-in-Publication **Data** is on record with the publisher. ... clients 194 Web server/ORB gateway 196 HOP and Firewalls 202 Firewall technology 203 **Filters** 203 Proxies ... Persistence provides you with the mechanisms to **store** an object for long periods. ...
Cited by 40 - Related articles - All 2 versions

[PDF] Shibboleth architecture draft v04 [PDF] from immagic.com
M Erdos, S Cantor - 2001 - immagic.com
... AA may **store attributes** directly, or more likely will obtain them from the institution's **LDAP** directory or ... The additional **data** in the handle package includes the location of the AA at which the ... Shibboleth also doesn't currently specify a **format** for AAPs since we don't currently have ...
Cited by 8 - Related articles - View as HTML - All 4 versions

[PDF] Evaluation of distributed authentication, authorization and directory services [PDF] from psu.edu
G Gábor - 2001 - Citeseer
... Previous versions of Windows used different methods to **store** different **data** such as network or user ... NDS protocol is based on the DAP protocol just like **LDAP**; in fact, the **LDAP** interface provided by ... can go into a certificate, and de- scribes how to write it down (the **data format**). ...

Cited by 2 - Related articles - View as HTML - All 8 versions

[BOOK] Developing WMI solutions: a guide to Windows management instrumentation

C Tunstall, G Cole - 2003 - books.google.com

... Existing Classes in the CIMV2 Namespace 113 Modifying Existing Classes 113 Managed Object **Format** 114 MOF ... 117 Flavors 118 Custom Qualifiers 119 User-Defined Qualifiers 120 Intrinsic **Data** Types 120 ... 139 Help for a Class 139 Browse for a Namespace 141 Search for a ...

Cited by 11 - Related articles - All 5 versions

[BOOK] Commerce server 2000: building ebusiness solutions

G Sreeraman - 2002 - books.google.com

... a Catalog in XML **Format** .....148 Exporting a ... 212 The Authentication **Filter** .....212 Summary ... Structures .....487 The **Data Store** .....488 OLAP ...

All 3 versions

[PDF] Internet-based workflow management [PDF] from ucf.edu

D Marinescu - Toward a Semantic Web, New York, 2002 - cs.ucf.edu

... LAN = local area network LCFS = last come first serve **LDAP** = lighweight directory access ... RDF = resource description **format** RED = random early detection RIO = random early detection ... transport control protocol TDM = time division multiplexing TDU = transport **data** unit ToS ...

Cited by 104 - Related articles - View as HTML - All 6 versions

[BOOK] Oracle9i Web Development

BD Brown - 2001 - books.google.com

... IIS 8 Content Management Services 9 Oracle Internet File System 9 Ultra Search 11 Business ... JMS) Toolkit 17 Oracle SQL] 17 Oracle XML Developer's Kit 18 Oracle **LDAP** Developer's Kit 19 ... 386 What Has to Change 386 Flexible Parameter Passing Gets a New **Format** 386 File ...

Cited by 8 - Related articles - Library Search - All 3 versions

[PDF] Experiences Establishing an Experimental International Coalition Public Key Infrastructure [PDF] from psu.edu

G Fink, UK Worcestershire - 1st Annual PKI Research Workshop, 2002 - Citeseer

... UK and US then exchanged copies of their respective Root CA certificate both in native **format** and in ... trying to add a user to the Entrust Address Book from a Directory Search, Entrust Express ... that the certificate being added to the Entrust Address Book from the **LDAP** Directory is ...

Cited by 3 - Related articles - View as HTML - All 11 versions

[PDF] Portlet Development Guide [PDF] from utah.edu

S Hesmer, P Fischer, T Buckner, I ... - Introduction to the Portlet ..., 2002 - gkmc.utah.edu

... Early Internet portals, such as Yahoo, Excite, and Lycos, categorized Web content and provided search facilities. ... User **data** The PortletData object represents **data** for a concrete portlet instance that is saved to persistent **store**. ...

Cited by 2 - Related articles - View as HTML - All 7 versions

[PDF] Portlet development guide [PDF] from novsu.ac.ru

T Buckner, S Hesmer, P Fischer, I ... - IBM. Retrieved ..., 2003 - websphere.novsu.ac.ru
... Early Internet portals, such as Yahoo, Excite, and Lycos, categorized Web content and provided search facilities. ... User **data** The PortletData object represents **data** for a concrete portlet instance that is saved to persistent **store**. ...
Cited by 2 - Related articles - View as HTML

[PDF] Grid service requirements [PDF] from psu.edu
JC Desplat, J Hardy, M Antonioletti, J Nabrzyski, ... - ENACTS report, ..., 2002 - Citeseer
... methods ..... 105 II.10.6 **Data** management and integrity (**data** access, **data** migration, replication, **data storage**, **data** transfer) .... 107 ...
Cited by 4 - Related articles - View as HTML - All 4 versions

[PDF] Appendix: UK Grid Services and Activities, e-Science Gap Analysis [PDF] from psu.edu
G Fox, D Walker - National e-Science Centre, UK e-Science Technical ..., 2003 - Citeseer
... 27 (a) General Scientific Metadata **Format** .... A.7.1.6.5 Example Workflow for DAME Use Case 4: Perform Cluster Search..... ... Leicester University AstroGrid A.2.7.2.2 Virtual directory service of **data** items located ...
View as HTML - All 10 versions

[BOOK] The SQL Server 7.0 handbook: a guide to Microsoft database computing
K England, N Stanley - 1999 - books.google.com
... It will also have support for the Lightweight Directory Access Protocol API (**LDAP**) and Microsoft Mail ... batches, object usage, locking, security events, and errors, SQL Server Profiler can **filter** these events ... Host gateways are used to access remote **data** in non-SQL Server **format**. ...
Cited by 1 - Related articles

[BOOK] Integrating Linux and Windows
M McCune - 2001 - books.google.com
... Just search the Internet for “Satan” or “Antichrist” and you will be surprised how many anti ... This is often done to separate the programs from the **data** and also for storing multiple ... this output means, starting with the first character: • First character—This is a special **attribute** such as ...
Cited by 2 - Related articles - All 4 versions

[PS] Distributed Indexing/Searching Workshop [PS] from psu.edu
M Schwartz, H Network - agenda, attendee list, and position papers, ..., 1996 - Citeseer
... by full text indexing systems, in addition to retrieving **attribute**-value structured meta **data**. ... agreeing on a standard index retrieval **format**, or through an index **format** negotiation protocol ... a simple generic **query** language (and implemented mappings to several search engines), but ...
Cited by 1 - Related articles - View as HTML - All 23 versions

[PDF] Capability-based description and discovery of services [PDF] from psu.edu
D Devereux - 2003 - Citeseer
... 252 9.24 A REIWA residential search record . . . . by providing an interface description that maps from client objectives onto invocations, and from returned results onto a canonical result **format**. Page 23. ... are dominated by the presence of an underlying **data store**. Function ser- ...

Related articles - View as HTML - All 7 versions

[PDF] Service Discovery in Pervasive Systems [PDF] from uq.edu.au

SR Livingstone - The School of Information Technology and ..., 2003 - itee.uq.edu.au

... Salutation Salutation Consortium 1995 **LDAP** University of Michigan 1995 ... system, announcement/registration: how a service/client registers with the discovery system, search: how a ... INR's **store** intentional names, called name-specifiers, as **attribute**-value pairs in an **Attribute** ...

Cited by 1 - Related articles - View as HTML - All 2 versions

[DOC] Development of an Aquatic Animal Diversity Information System (AADIS): the Establishment of Standard **Search** Procedures and Protocols [DOC] from onefish.org

I Pettman - Consultant's Report to the Food and Agriculture ..., 2002 - onefish.org

... Exchanging **data** thus requires scripts to be written for converting one **format** to another or ... For geospatial – USGS Geospatial **Data** Standard [http://www.fgdc.gov/standards/], GEO **Attribute** Set (GEO – Z39 ... The use of a classification scheme gives context to the search terms used. ...

Cited by 1 - Related articles - View as HTML

[PDF] New Systems Technologies and Software Products for HPCC: Volume III-High Performance Commodity Computing on the Pragmatic Object Web [PDF] from indiana.edu

GC Fox, W Furmanski, HT Ozdemir, S Pallickara - 1998 - grids.ucs.indiana.edu

... These parts are dominant when measured in terms of compute cycles or **data**-points but often a modest part of the problem if measured in terms of lines of code or other measures of implementation effort. ... **Data** flows between connected modules from input to output ports. ...

Cited by 1 - Related articles - View as HTML - All 2 versions

[PDF] A practical guide to db2 udb **data** replication v8 [PDF] from ivanfm.com

L Budd, A Cayci, C Hendricks, M Purnell, C Rigdon - 2002 - ivanfm.com

... ccclxxxvi 8.2.5 Adding members to existing subscription sets . . . . . ccclxxxvii 8.2.6 Changing **attributes** of subscription sets . . . . cxxxiii 2-25 **Filter** example . . . . ccl 5-22 **Data** blocking . . . .

View as HTML - All 2 versions

[PDF] Remote **data** acquisition of embedded systems using internet technologies: a role-based generic system specification [PDF] from epfl.ch

T NIEVA - 2001 - infoscience.epfl.ch

Page 1. REMOTE **DATA** ACQUISITION OF ... the XML/XSL expert), Abdendi Benammour (the Jini expert), Jose Carpio (the "roles" expert), Ramzi Bouzerda (the SOAP expert), Alessandro Specchia (the DAS expert) and my semester students Fabrice Wohnrau (the **LDAP** and WAP ...

Cited by 5 - Related articles - View as HTML - All 8 versions

Middleware and Application Management Architecture [PDF] from vandermeer.de

S van der Meer - A PhD Thesis, Berlin, Germany, September, 2002 - deposit.ddb.de

... **Attribute**.....35 3.2.2.5. ... 39 3.2.4. Scopes and Naming.....40 3.2.5. xADL – XML for ADL **Data** Exchange .....40 3.2.6. Development Process ...

Cited by 6 - Related articles - All 8 versions

[BOOK] Connecting Domino to the Enterprise Using Java

C Toulemonde, J Grose, A Pratiwi, B Stratton - 1999 - redbooks.ibm.com

... writing of **data**. • Tier 3: Servers that provide the **data storage** and transaction applications used by the Web application server processes. Page 22. 4 Connecting Domino to the Enterprise Using Java The application elements ...

Related articles - View as HTML - Library Search - All 10 versions

Peer-to-peer resource resolution

BA Traversat, L Gong, WJ Yeager, MM ... - US Patent App. 10/ ..., 2002 - Google Patents

... No.: (22) Filed: 10/055,741 Jan. 22, 2002 Related US Application **Data** (60) Provisional application No. ... Cl.7 G06F 15/173 (52) US Cl 709/224 (57) ABSTRACT A system and method for sending, resolving, and receiving **queries** for information on the status of network resources. ...

Cited by 11 - Related articles - All 4 versions

[PDF] **Data** Propagation and Self-Configuring Directory Services in a Distributed Environment [PDF] from diva-portal.org

S Hedin - Transport, 2002 - liu.diva-portal.org

... since several years relied heavily on distributed information systems and digital **storage** containers. ... eg streamed over Internet) is encrypted to prevent eavesdropping and manipulation of **data**. ... Rather, Yourdon and Constantine referred to **partitioning** modules of large but single ...

Cited by 1 - Related articles - View as HTML - All 3 versions

[PDF] e-Science gap analysis [PDF] from psu.edu

G Fox, D Walker - National e-Science Centre, UK e-Science Technical ..., 2003 - Citeseer

... 19 4.6 Grid Enabled Optimisation and Design Search for Engineering (Geodise ... 70 8.6.4.6.1 General Scientific Metadata **Format** .... Replica management, access to **storage**, scheduling and virtual **data** are major compute/file Grid ...

Cited by 37 - Related articles - View as HTML - All 26 versions

[PDF] release [PDF] from lulu.com

CCCCA Share-Alike - 2002 - lulu.com

... This will guide them in their search for serious vulnerabilities. ... flow analysis: Where and when are variables set and how the variables are used throughout the workflow, how **attributes** of objects ... Authentication • Session Management • Authorization • Cryptography (**Data** at rest ...

Related articles - View as HTML - All 6 versions

[PDF] A Complete Bibliography of International Conferences on Very Large **Data** Bases [PDF] from psu.edu

NHF Beebe - 2003 - Citeseer

Page 1. A Complete Bibliography of International Conferences on Very Large **Data** Bases ... Aggregate [1490, 257, 1122, 1612, 543, 1547, 1076, 1809, 711, 860, 1709, 679, 1364, 1813]. Aggregate-**Query** [1076, 1813]. ... Attachment [785]. **Attribute** [1712, 1072, 903, 736, 38, 1265]. ...

View as HTML - All 4 versions

Load balancer in environment services patterns

MK Bowman-amuah - US Patent 6,578,068, 2003 - freepatentsonline.com

... 718/105, 709/226. International Classes: G06F9/46; G06F9/50; G06F15/16. Field of Search:

709/106, 709/202, 709/226, 709/238, 709/235, 709/224, 709/239, 709/201, 709/105, 709/203, 709/223. ... 69 illustrates fixed **format** contracts containing meta-**data** information for ...
Cited by 143 - Related articles - Cached

[BOOK] Oracle 11i E-Business Suite from the front lines
AJ Wells - 2003 - books.google.com
... 1144-6 The ABCs of **LDAP**: How to Install, Run, and Administer **LDAP** Services Reinhard ... Reports to a Report Group 178 Associate Custom Application with a **Data** Group 178 ... Interoperability Patches 280 Diagnostic Patches 281 How to Apply 282 Patch Search and Download ...
Cited by 2 - Related articles - All 3 versions

Block-based communication in a communication services patterns environment
MK Bowman-amuah - US Patent 6,571,282, 2003 - freepatentsonline.com
... 709/203, 719/329. International Classes: G06F13/00; G06F13/00. Field of Search: 709/217 ... two systems communicating via Stream-Based Communication arid using a shared generic **format** to relay ... 158 illustrates a flowchart for a method for controlling **data** in accordance with an ...
Cited by 97 - Related articles - Cached

[BOOK] Solaris 8 system administrators's reference
J Winsor - 2000 - books.google.com
... I), monitor(IM) , obpsym(IM) Diagnostics When there is no current command or **format**, kadb comments ... the password to decrypt root's key stored in the publickey database, and then **store** the decrypted ... kstat can be a special kstat type, an array of name-value pairs, or raw **data**. ...
Cited by 4 - Related articles - All 3 versions

Request batcher in a transaction services patterns environment
MK Bowman-amuah - US Patent 6,640,244, 2003 - freepatentsonline.com
... Field of Search: 709/204, 709/101, 709/219, 709/207, 709/218, 707/10, 709 ... two systems communicating via Stream-Based Communication and using a shared generic **format** to relay ... 158 illustrates a flowchart for a method for controlling **data** in accordance with an embodiment ...
Cited by 107 - Related articles - Cached

[PDF] OCA/OCP: Oracle9i™ DBA Fundamentals I **[PDF]** from unila.ac.id
B Thomas, B Bryla - Sybex Inc., Alameda, CA, 2002 - sciencebook.unila.ac.id
... Search ... After the 90-day period, you can obtain replacement media of identical **format** by sending us the defective disk, proof of purchase, and a check or money order for $10 ... Chapter 8 Discusses creating tables with the various datatypes and options available to **store data**. ...
Cited by 2 - Related articles - View as HTML - All 14 versions

Presentation services patterns in a netcentric environment
MK Bowman-amuah - US Patent 6,640,249, 2003 - freepatentsonline.com
... Field of Search: 345/797, 345/717 ... FIG. 68 depicts the complete Fixed **Format** Stream pattern associated with the fixed **format** stream patterns; FIG. 69 illustrates fixed **format** contracts containing meta-**data** information for translating structured **data** onto and off of a stream; FIG. ...
Cited by 81 - Related articles - Cached

Execution of process by references to directory service

CJ Northrup, FJ Angel - US Patent App. 10/068,077, 2002 - Google Patents

... ser- vice, a **data** sharing service, medical test results reporting service, **data store** forwarding service ... use a browser such as Microsoft Internet Explorer to visit a search engine such ... 13 are diagrams showing the communica- tions relationships of different types of **data** providers in ...

All 2 versions

Activity component in a presentation services patterns environment

MK Bowman-amuah - US Patent 6,640,238, 2003 - freepatentsonline.com

... Field of Search: 700/203, 709/250, 700/201, 700/223, 709/224, 707/3, 707 ... two systems communicating via Stream-Based Communication and using a shared generic **format** to relay ... 158 illustrates a flowchart for a method for controlling **data** in accordance with an embodiment ...

Cited by 67 - Related articles - Cached

[BOOK] OCA/OCP: Oracle9i DBA Fundamentals I: study guide [PDF] from sybex.com

B Thomas, B Bryla - 2002 - books.google.com

... Refer to Acrobat's online Help (Help > Plug-In Help > Using Acrobat Search) for more ... After the 90-day period, you can obtain replacement media of identical **format** by sending us ... Chapter 8 Discusses creating tables with the various datatypes and options available to **store data**. ...

Cited by 1 - Related articles - All 3 versions

Peer-to-peer email messaging

MM Abdel-Aziz, BA Traversat, M Reid, I ... - US Patent App. 10/ ..., 2002 - Google Patents

... The mail transfer agent may **store** a message sent from an email client or a peer in one or more inboxes corresponding to one or more ... As another example, a user may issue a search **query** to a peer-to-peer platform service and receive search results from the peer-to-peer ...

All 2 versions

Assertion component in environment services patterns

MK Bowman-amuah - US Patent 6,601,192, 2003 - freepatentsonline.com

... 218, 714/E11.208. International Classes: G06F11/36; G06F11/00. Field of Search: 714/47 ... two systems communicating via Stream-Based Communication and using a shared generic **format** to relay ... 158 illustrates a flowchart for a method for controlling **data** in accordance with an ...

Cited by 56 - Related articles - Cached

Create email alert

LDAP filter format data store attribut Search

Go to Google Home - About Google - About Google Scholar

©2010 Google